## EP ENERGY PETROLEUM INSTITUTE



### Supplement Nr: 03

(1)

### **EU-Type Examination Certificate**

(2) Equipment or Protective Systems Intended for use in Potentially Explosive Atmospheres

### Directive 2014/34/EU

(3) EU – Type Examination Certificate Number: IEP 11 ATEX 061 X

(4) Product: LPG Dispenser 8100 series

**Responsible Person:** 

Head of Certification Body

Nurettin Terzioglu

(5) Firm Name: YENEN Mühendislik Müşavirlik Sanayi ve Ticaret Ltd. Şti.

(6) Firm Address: Aksemsettin Mah. Tavukcuyolu Sok. No : 23 Sultanbeyli ISTANBUL - TURKEY

(7) This product any of acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The IEP Uluslararasi Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Sti., notified body number 2284 in accordance with Article 17 of the Directive 2014/34/EU of European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres, given in Annex II to the Directive. The examination and test results are recorded in confidential Report Nr: IEP.Rp.Ex.10-382-3 date 02.08.2022.

(9) Compliance with Essential Health and safety requirements has been assured by compliance with ;

#### EN 14678-1: 2013

(10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to Specified Conditions of Safe Use specified in the schedule to this certificate.

(11) This EU-Type Examination Certificate relates only to the design and construction of the specified product in accordance to the directive 2014/34/EU. Further requirements of the directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.

(12) The marking of the equipment or protective system shall include the following:



IEP Uluslararası Enerji Petrol Göz., Sertifikasyon ve Teknik Hiz. Org. Tic. Ltd. Sti. 5746/1 Sok. No:9 K:2Bornova - IZMIR / TURKEY

Tel: +90 232 431 17 45 –46 Fax : +90 232 431 17 30 E-mail: iep@iep.com.tr Fr: 45 This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by *www.iep.com.tr*.



# IEP ENERGY PETROLEUM INSTITUTE

(13) Schedule

#### (14) Certificate Nr: IEP 11 ATEX 061 X

(15) Description of Equipment;

The dispenser LPG 8100 series 1, 2 and 4 are designed for dispensing of liquid propane-butane gas through one, two or four nozzles at public filling stations to car's tanks. The construction or dispenser consists of hydraulic housing in IP 23 degree of protection; nozzle boot in IP 67 degree of protection; interspaced and electronic counter housing in IP 54 degree of protection according to EN 60529:1991 +AC:2017. IP54 tests were performed for the certificate.

The hydraulic housing and interspaced are natural ventilated through opening in perforated dispenser covers. The nozzle boot for locating of filling nozzle consists of pocket partially enclosed housing which is situated in the column extensions.

Construction of the dispenser applies separation vapor barriers Type 2 between the hydraulic housing and the interspaced and vapor barriers Type 2 between electronic counter housing and interface according to standard EN 14678-1: 2013.

The determination of hazardous areas inside and outside of the dispenser is defined in accordance to EN 60079-10-1 : 2015 ; EN 14678-1 : 2013.

The inside area of dispenser hydraulic housing is Zone 1 outside area of dispenser hydraulic housing up to 50 mm vertically over upper edge of hydraulic housing and up to 200 mm from horizontally downwards to ground level are Zone 2.

The inside of nozzle boot is Zone 1.

The electronic counter housing is separated by the vertical vapor Type 2, inside and outside of housing is a safe area Non –classified.

The electrical and non-electrical equipment's installed in hazardous areas are in corresponding Ex-type of protection specified "List of electrical and non-electrical parts." Table Y-220607-01 dated 07.06.2022 (8 pages)

(IEP 11 ATEX 061 X) X means: LPG dispenser installation must be in accordance with the operating instructions, Periodic maintenance, revision and control should be done by an authorized person or organization.

#### **Technical Specification:**

Number of products
Number of discharge nozzles
Max. Stream intensity
Min. Stream intensity
Operating / max pressure
Design pressure
Power supply
Ambient temperature T <sub>A</sub>
Nominal inside diameter

**Responsible Person :** 

Nurettin Terzioglu Head of Certification Body 

IEP Uluslararası Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyon Ticaret Limited Sirketi 5746/1 Sk. No:9 K:2 Bornova - IZMIR / TURKEY Tel: +90 232 431 1745 – 46 Fax: +90 232 431 1730 E-mail: iep@iep.com.tr Fr: 45 This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by *www.iep.com.tr*. IEP ENERGY PETROLEUM INSTITUTE



#### (16) Certificate Nr: IEP 11 ATEX 061 X

(17) Special Conditions for Safe Use :

- 17.1 The LPG dispensers 8100 series 1; 2; 4 are not a self- dispensers, they must be serviced by a personal with appropriate authorizations only (according to domestic regulations).
- 17.2 Installation and operation of the LPG dispenser 8100 series 1; 2; 4 have to conform to the relevant national regulations.

(18) Essential Health and Safety Requirements :

- 18.1 Covered by standards mentioned in [9] of this certificate.
- 18.2 According to Directive 2014/34/EU Annex 2, clause 1.0.6 and manufacture's service and operation manual for use dated 17.11.2014, the dispenser is not allowed to be installed in hazardous area specified according to EN 60079-10-1.
- 18.3 At the installation and the operation of dispenser have to be observed manufacture's service and operation manual dated 17.11.2014. (46 pages)

(19) List of Documentation :

)	List of Documentation.	
٠	Risk analysis ( 5 pages ) EN 14678-1	02.08.2011
٠	Risk analysis ( 4 pages ) EN 14121 -1	02.08.2011
٠	Drawing Nr;	
	Y-8100-02	10.06.2011
	Y-8100-01	10.06.2011
	Y-S-80	10.06.2011
	Y-8100-03	10.06.2011
	Y-8100-04	13.06.2011
	Y-S-10	13.11.2009
	Y-S-16	18.11.2009
	Y-S-18	18.11.2009
	Y-S-19	18.11.2009
	Y-S-20	18.11.2009
	Y-S-22	18.11.2009
	Y-S-14	16.11.2009
	Y-S-84	14.06.2011
	Y-S-85	14.06.2011
	Y-S-82	16.11.2009
	Y-S-81	13.06.2011
	Y-S-11	16.11.2009
	Y-S-26	19.11.2009
	Y-S-83	19.11.2009
		그는 이 옷에서 것 이 것이 가지? 수술

For the validity of analysis type certificate, the parts that are used in LPG Dispenser 8100 series are confirmed in the list of electrical equipment and non-electrical equipment table Y-220607-01, dated 07.06.2022.

#### **Certificate History**

Supplement Nr	Supplement Date	Summary Description of Variation
03	11.08.2022	Additional equipment list
02	16.07.2018	Equipment Addition
01	09.01.2018	Upgrade to ATEX directive 2014/34/EU Conformity to standard EN 14678-1:2013
00	18.11.2011	First issue of certificate
		ETHOLEUM

#### **Responsible Person:**

Nurettin Terzioglu Head of Certification Body

#### Supplement 03 Date of Issue : 11.08.2022



IEP Uluslararası Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyon Ticaret Limited Sirketi 5746/1 Sk. No:9 K:2 Bornova - IZMIR / TURKEY Tel: +90 232 431 1745 – 46 Fax: +90 232 431 1730 E-mail: iep@iep.com.tr Fr: 45 This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by *www.iep.com.tr*.

IEI